ELSEVIER

Molecular Cell Research

Vol. 1355, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Author Index

Akagawa, Y., see Hashimoto, K. (1355) 303
Allal, C., see Berton, M. (1355) 7
Angus, C.W., see Ikezono, T. (1355) 121
Ansorge, S., see Wex, T. (1355) 147
Ashendel, C.L., see Furlong, M.T. (1355) 177
Ayaki, M., see Hashimoto, C. (1355) 205

Baldi, E., see Bonaccorsi, L. (1355) 155
Banting, G. and Ponnambalam, S.
TGN38 and its orthologues: roles in post-TGN vesicle formation and maintenance of TGN morphology (1355) 209
Barber, R.D., Woolf, A.S. and Henderson, R.M.
Potassium conductances and proliferation in conditionally immortalized renal glomerular mesangial cells from the *H-2K*$^{b}$-tsA58 transgenic mouse (1355) 191
Barge, R.M.Y., Falkenburg, J.H.F., Willemze, R. and Maassen, J.A.
8-Bromo-cAMP induces a proliferative response in an IL-3 dependent leukemic cell line and activates Erk1,2 via a Shc-independent pathway (1355) 141
Bassal, S., Liu, Y.S., Thomas, R.J.S. and Phillips, W.A.
Phosphotyrosine phosphatase activity in the macrophage is enhanced by lipopolysaccharide, tumor necrosis factor $\alpha$, and granulocyte/macrophage-colony stimulating factor: correlation with priming of the respiratory burst (1355) 343
Berton, M., Sixou, S., Kravtzoff, R., Dartigues, C., Imbertie, L., Allal, C. and Favre, G.
Improved oligonucleotide uptake and stability by a new drug carrier, the SupraMolecular BioVector (SMBV) (1355) 7
Boittin, M., see Rédini, F. (1355) 20
Bonaccorsi, L., Luconi, M., Maggi, M., Muratori, M., Forti, G., Serio, M. and Baldi, E.
Protein tyrosine kinase, mitogen-activated protein kinase and protein kinase C are involved in the mitogenic signaling of platelet-activating factor (PAF) in HEC-1A cells (1355) 155
Brodbeck, U., see Hari, T. (1355) 293
Brodbeck, U., see Stadelmann, B. (1355) 107
Bütikofer, P., see Hari, T. (1355) 293
Bütikofer, P., see Stadelmann, B. (1355) 107

Campbell, G.P., see Palmer, R.M. (1355) 167
Cariven, C., see Comminges, C. (1355) 69
Chap, H., see Comminges, C. (1355) 69
Chen, D., Guo, J. and Gahl, W.A.
RAB GTPases expressed in human melanoma cells (1355) 1
Chen-Hwang, M.-C., see Currie, J.R. (1355) 248
Comminges, C., Georgeaud, V., Maury, E., Cariven, C., Prévost, M.-C. and Chap, H.
Studies on ether-phospholipids of vascular smooth muscle cells. Identification of a rapid $Ca^{2+}$-dependent hydrolysis of alkyl-phosphatidylethanolamine promoted by endothelin-1 (1355) 69
Crawford, A., see Foey, A.D. (1355) 43
Currie, J.R., Chen-Hwang, M.-C., Denman, R., Smedman, M., Potempska, A., Ramakrishna, N., Rubenstein, R., Wisniewski, H.M. and Miller, D.L.
Reduction of histone cytotoxicity by the Alzheimer $\beta$-amyloid peptide precursor (1355) 248

Dartigues, C., see Berton, M. (1355) 7
Delort, A.-M., see Matheron, C. (1355) 50
Demoor-Fossard, M., see Rédini, F. (1355) 20
Denman, R., see Currie, J.R. (1355) 248

Falkenburg, J.H.F., see Barge, R.M.Y. (1355) 141
Farndale, R.W., see Heemskerk, J.W.M. (1355) 81
Favre, G., see Berton, M. (1355) 7
Fein, A., see Kapural, L. (1355) 331
Foellmi-Adams, L., see Stapleton, S.R. (1355) 259
Foey, A.D., Crawford, A. and Hall, N.D.
Modulation of cytokine production by human mononuclear cells following impairment of Na,K-ATPase activity (1355) 43
Forano, E., see Matheron, C. (1355) 50
Forti, G., see Bonaccorsi, L. (1355) 155
Frank, K., see Wex, T. (1355) 147
Furlong, M.T., Mahrenholz, A.M., Kim, K.-H., Ashendel, C.L., Harrison, M.L. and Geahlen, R.L.
Identification of the major sites of autophosphorylation of the murine protein-tyrosine kinase Syk (1355) 177
Fyfe, G.K., Kemp, P.J. and Olver, R.E.
Conductive $Na^{+}$ transport in fetal lung alveolar apical membrane vesicles is regulated by fatty acids and G proteins (1355) 33

Gahl, W.A., see Chen, D. (1355) 1
Garlock, G.L., see Stapleton, S.R. (1355) 259
Gaudet, G., see Matheron, C. (1355) 50
Geahlen, R.L., see Furlong, M.T. (1355) 177
Georgeaud, V., see Comminges, C. (1355) 69
Goldstone, S.D. and Hunt, N.H.
Redox regulation of the mitogen-activated protein kinase pathway during lymphocyte activation (1355) 353
Guo, J., see Chen, D. (1355) 1

Hall, N.D., see Foey, A.D. (1355) 43
Hari, T., Bütikofer, P., Wiesmann, U.N. and Brodbeck, U.
Uptake and intracellular stability of glycosylphosphatidylinositol-specific phospholipase D in neuroblastoma cells (1355) 293
Harrison, M.L., see Furlong, M.T. (1355) 177
Hashimoto, C., Masuda, H., Ayaki, M., Suzuki, Y., Uenaka, A., Seya, T., Miyoshi, J., Takahashi, K. and Inui, Y.
Molecular cloning and sequence analysis of the cDNA for the mouse counterpart to adult hamster liver purified growth inhibitory factor (1355) 205

Hashimoto, K., Noshiro, M., Ohno, S., Kawamoto, T., Satakeda, H., Akagawa, Y., Nakashima, K., Okimura, A., Ishida, H., Okamoto, T., Pan, H., Shen, M., Yan, W. and Kato, Y.
Characterization of a cartilage-derived 66-kDa protein (RGD-CAP/$\beta$ig-h3) that binds to collagen (1355) 303
Hayakawa, Y., Hayashi, T., Hayashi, K., Ozawa, T., Niiya, K. and Sakuragawa, N.
Calcium spirulan as an inducer of tissue-type plasminogen activator in human fetal lung fibroblasts (1355) 241
Hayashi, K., see Hayakawa, Y. (1355) 241
Hayashi, T., see Hayakawa, Y. (1355) 241
Heemskerk, J.W.M., Farndale, R.W. and Sage, S.O.
Effects of U73122 and U73343 on human platelet calcium signalling and protein tyrosine phosphorylation (1355) 81
Henderson, R.M., see Barber, R.D. (1355) 191
Higashida, H., see Taketo, M. (1355) 89
Hunt, N.H., see Goldstone, S.D. (1355) 353
Hussain, M.M., see Kancha, R.K. (1355) 231

Ikezono, T., Wu, T., Yao, X.-L., Levine, S., Logun, C., Angus, C.W. and Shelhamer, J.H.
Leukemia inhibitory factor induces the 85-kDa cytosolic phospholipase $A_2$ gene expression in cultured human bronchial epithelial cells (1355) 121
Imbertie, L., see Berton, M. (1355) 7
Inui, Y., see Hashimoto, C. (1355) 205
Ishida, H., see Hashimoto, K. (1355) 303
Ittenson, A., see Wex, T. (1355) 147

Kähne, T., see Wex, T. (1355) 147
Kancha, R.K. and Hussain, M.M.
Nickel is a specific antagonist for the catabolism of activated $\alpha_2$-macroglobulin (1355) 231
Kapural, L. and Fein, A.
Suppression of the voltage-gated $K^+$ current of human megakaryocytes by thrombin and prostacyclin (1355) 331
Katafuchi, J., see Sakakibara, Y. (1355) 102
Kato, Y., see Hashimoto, K. (1355) 303
Kawamoto, T., see Hashimoto, K. (1355) 303
Kemp, P.J., see Fyfe, G.K. (1355) 33
Kim, K.-H., see Furlong, M.T. (1355) 177
Kimura, Y., see Taketo, M. (1355) 89
Klein, J.M. and McCarthy, T.A.
Inhibition of tyrosine kinase activity decreases expression of surfactant protein A in a human lung adenocarcinoma cell line independent of epidermal growth factor receptor (1355) 218
Kletzien, R.F., see Stapleton, S.R. (1355) 259
Knott, R.M., see Palmer, R.M. (1355) 167
König, A., see Stadelmann, B. (1355) 107
Kravtzoff, R., see Berton, M. (1355) 7
Krystal, G.W., see Tombes, R.M. (1355) 281

Legge, M.
Oocyte and zygote ketoaldehyde utilisation (1355) 99
Lendeckel, U., see Wex, T. (1355) 147
Levine, S., see Ikezono, T. (1355) 121
Levy, R., see Liu, Y. (1355) 270
Li, H.-y. and Quamme, G.A.
Caffeine decreases intracellular free $Mg^{2+}$ in isolated adult rat ventricular myocytes (1355) 61
Liu, M.-C., see Sakakibara, Y. (1355) 102
Liu, Y. and Levy, R.
Phospholipase $A_2$ has a role in proliferation but not in differentiation of HL-60 cells (1355) 270
Liu, Y.S., see Bassal, S. (1355) 343
Logun, C., see Ikezono, T. (1355) 121
Luconi, M., see Bonaccorsi, L. (1355) 155

Maassen, J.A., see Barge, R.M.Y. (1355) 141
Maggi, M., see Bonaccorsi, L. (1355) 155
Mahrenholz, A.M., see Furlong, M.T. (1355) 177
Masuda, H., see Hashimoto, C. (1355) 205
Matheron, C., Delort, A.-M., Gaudet, G. and Forano, E.
Re-investigation of glucose metabolism in *Fibrobacter succinogenes*, using NMR spectroscopy and enzymatic assays. Evidence for pentose phosphates phosphoketolase and pyruvate formate lyase activities (1355) 50
Maury, E., see Comminges, C. (1355) 69
McCarthy, T.A., see Klein, J.M. (1355) 218
McDaniel, N.L., see Van Riper, D.A. (1355) 323
Miller, D.L., see Currie, J.R. (1355) 248
Min, W., see Rédini, F. (1355) 20
Miyoshi, J., see Hashimoto, C. (1355) 205
Morré, D.J., Wu, L.-Y. and Morré, D.M.
Inhibition of NADH oxidase activity and growth of HeLa cells by the antitumor sulfonylurea, *N*-(4-methylphenylsulfonyl)-*N'*-(4-chlorophenyl)urea (LY181984) and response to epidermal growth factor (1355) 114
Morré, D.M., see Morré, D.J. (1355) 114
Morrison, K.S., see Palmer, R.M. (1355) 167
Muratori, M., see Bonaccorsi, L. (1355) 155

Nakajima, H., see Sakakibara, Y. (1355) 102
Nakashima, K., see Hashimoto, K. (1355) 303
Nakayama, T., see Sakakibara, Y. (1355) 102
Neys, F.W., see Vervoordeldonk, M.J.B.M. (1355) 315
Niiya, K., see Hayakawa, Y. (1355) 241
Noshiro, M., see Hashimoto, K. (1355) 303

Ohno, S., see Hashimoto, K. (1355) 303
Okamoto, T., see Hashimoto, K. (1355) 303
Okimura, A., see Hashimoto, K. (1355) 303
Olver, R.E., see Fyfe, G.K. (1355) 33
Ozawa, T., see Hayakawa, Y. (1355) 241

Palmer, R.M., Thompson, M.G., Knott, R.M., Campbell, G.P., Thom, A. and Morrison, K.S.
Insulin and insulin-like growth factor-I responsiveness and signalling mechanisms in $C_2C_{12}$ satellite cells: effect of differentiation and fusion (1355) 167
Pan, H., see Hashimoto, K. (1355) 303
Phillips, W.A., see Bassal, S. (1355) 343
Ponnambalam, S., see Banting, G. (1355) 209
Potempska, A., see Currie, J.R. (1355) 248
Prévost, M.-C., see Comminges, C. (1355) 69
Pujol, J.-P., see Rédini, F. (1355) 20

Quamme, G.A., see Li, H.-y. (1355) 61

Ramakrishna, N., see Currie, J.R. (1355) 248
Rédini, F., Min, W., Demoor-Fossard, M., Boittin, M. and Pujol, J.-P.
Differential expression of membrane-anchored proteoglycans in rabbit articular chondrocytes cultured in monolayers and in alginate beads. Effect of transforming growth factor-$\beta$1 (1355) 20

Rembold, C.M., see Van Riper, D.A. (1355) 323
Rubenstein, R., see Currie, J.R. (1355) 248

Sage, S.O., see Heemskerk, J.W.M. (1355) 81
Sakakibara, Y., Katafuchi, J., Takami, Y., Nakayama, T., Suiko, M., Nakajima, H. and Liu, M.-C.
Manganese-dependent Dopa/tyrosine sulfation in HepG2 human hepatoma cells: novel Dopa/tyrosine sulfotransferase activities associated with the human monoamine-form phenol sulfotransferase (1355) 102
Sakuragawa, N., see Hayakawa, Y. (1355) 241
Sanchez, R.M., see Vervoordeldonk, M.J.B.M. (1355) 315
Satakeda, H., see Hashimoto, K. (1355) 303
Serio, M., see Bonaccorsi, L. (1355) 155
Seya, T., see Hashimoto, C. (1355) 205
Shelhamer, J.H., see Ikezono, T. (1355) 121
Shen, M., see Hashimoto, K. (1355) 303
Sixou, S., see Berton, M. (1355) 7
Smedman, M., see Currie, J.R. (1355) 248
Soslau, G. and Youngprapakorn, D.
A possible dual physiological role of extracellular ATP in the modulation of platelet aggregation (1355) 131
Stadelmann, B., Bütikofer, P., König, A. and Brodbeck, U.
The C-terminus of glycosylphosphatidylinositol-specific phospholipase D is essential for biological activity (1355) 107
Stapleton, S.R., Garlock, G.L., Foellmi-Adams, L. and Kletzien, R.F.
Selenium: potent stimulator of tyrosyl phosphorylation and activator of MAP kinase (1355) 259
Suiko, M., see Sakakibara, Y. (1355) 102
Suzuki, Y., see Hashimoto, C. (1355) 205

Takahashi, K., see Hashimoto, C. (1355) 205
Takami, Y., see Sakakibara, Y. (1355) 102
Taketo, M., Yokoyama, S., Kimura, Y. and Higashida, H.
$Ca^{2+}$ release and $Ca^{2+}$ influx in Chinese hamster ovary cells expressing the cloned mouse $B_2$ bradykinin receptor: tyrosine kinase inhibitor-sensitive and -insensitive processes (1355) 89
Thom, A., see Palmer, R.M. (1355) 167
Thomas, R.J.S., see Bassal, S. (1355) 343
Thompson, M.G., see Palmer, R.M. (1355) 167
Tombes, R.M. and Krystal, G.W.
Identification of novel human tumor cell-specific CaMK-II variants (1355) 281

Uenaka, A., see Hashimoto, C. (1355) 205

Van den Bosch, H., see Vervoordeldonk, M.J.B.M. (1355) 315
Van Riper, D.A., McDaniel, N.L. and Rembold, C.M.
Myosin light chain kinase phosphorylation in nitrovasodilator induced swine carotid artery relaxation (1355) 323
Van Rossum, G.S.A.T., see Vervoordeldonk, M.J.B.M. (1355) 315
Vervoordeldonk, M.J.B.M., Van Rossum, G.S.A.T., Sanchez, R.M., Neys, F.W. and Van den Bosch, H.
Half-life of interleukin-1$\beta$-induced group II phospholipase $A_2$ in rat mesangial cells (1355) 315

Wex, T., Lendeckel, U., Kähne, T., Ittenson, A., Frank, K. and Ansorge, S.
The main neutral aminopeptidase activity of human lymphoid tumour cell lines does not originate from the aminopeptidase N-(APN; CD13) gene (1355) 147
Wiesmann, U.N., see Hari, T. (1355) 293
Willemze, R., see Barge, R.M.Y. (1355) 141
Wisniewski, H.M., see Currie, J.R. (1355) 248
Woolf, A.S., see Barber, R.D. (1355) 191
Wu, L.-Y., see Morré, D.J. (1355) 114
Wu, T., see Ikezono, T. (1355) 121

Yan, W., see Hashimoto, K. (1355) 303
Yao, X.-L., see Ikezono, T. (1355) 121
Yokoyama, S., see Taketo, M. (1355) 89
Youngprapakorn, D., see Soslau, G. (1355) 131